

F:

apps

```
-- opera [X-Opera.exe, X-Opera.ini]
|-- Backups
|   |-- Opera
|-- Bin
|   |-- Opera
|       |-- Skin
|       |-- Styles
|           |-- images
|           |-- user
|       |-- classes
|       |-- defaults
|       |-- mail
|           |-- imap
|           |-- indexer
|           |-- lexicon
|           |-- store
|               |-- account1
|                   |-- 2008
|                       |-- 06
|                           |-- 03
|                           |-- 06
|           |-- drafts
|-- profile
|   |-- bt_metadata
|   |-- cache4
|       |-- temporary_download
|   |-- images
|   |-- keyboard
|   |-- menu
|   |-- mouse
|   |-- opcache
|   |-- sessions
|   |-- skin
|   |-- styles
|       |-- user
|   |-- thumbnails
|   |-- toolbar
|   |-- voice
|   |-- voicelib
|   |-- vps
|       |-- 0000
|       |-- 0001
|       |-- 0002
|       |-- 0003
|       |-- 0004
|   |-- widgets
|       |-- 046701852196897496491212794802
|       |-- cache
|-- program
|-- plugins
```

```

|-- Lib
|   |-- Aspell
|   |   |-- bin
|   |   |-- data
|   |   |-- dict
|   |   |-- doc
|   |   |-- html
|   |   |-- text
|-- User
|   |-- Opera
|   |   |-- cache4
|   |   |-- revocation
|   |-- opcache

```

```

;-----
;      Copyright © winPenPack 2005-2008
;      winPenPack author: Danilo Leggieri
;      http://www.winpenpack.com
;      winpenpack@gmail.com
;
;      Released under the terms and conditions of the
;      GNU General Public License (http://gnu.org).
;
;      X-Launcher 1.1 author: Gabriele TittoneI
;      Ini author: Danilo Leggieri
;      Ini revision: [rev 4]
;      Date: 10.05.2008
;-----

```

```

[Setup]
AppName=Opera

```

```

[FileToRun]
PathToExe=$Bin$\$AppName$\$AppName$.exe

```

```

[Environment]
OperaDownloadDir=\Folders\Downloads\$AppName$

```

```

[Functions]
; (optional locale italian)
;DirCopy=$ExeDir$\locale\it|$ExeDir$\locale_it\it
;DirRemove=$ExeDir$\locale
;DirMove=$ExeDir$\locale_it|$ExeDir$\locale

```

```

DirCreate=%OperaDownloadDir%
FileCopy=$Home$\$AppName$\operadef6.ini|$ExeDir$\operadef6.ini|o
FileCopy=$Home$\$AppName$\opera6.ini|$ExeDir$\profile\opera6.ini|o

```

```

[RunAfter]
FileCopy=$ExeDir$\operadef6.ini|$Home$\$AppName$\operadef6.ini|o
FileCopy=$ExeDir$\profile\opera6.ini|$Home$\$AppName$\opera6.ini|o
DirRemove=@TempDir@\Opera

```

```
; (backup)
;DirMove=$Backup$\AppName$\backup_2|$Backup$\AppName$\backup_3|o
;DirMove=$Backup$\AppName$\backup_1|$Backup$\AppName$\backup_2|o
;DirCopy=$ExeDir$\profile|$Backup$\AppName$\backup_1\profile
;FileCopy=$ExeDir$\operadef6.ini|$Backup$\AppName$\backup_1
```

```
[WriteToIni=$ExeDir$\operadef6.ini]
User Prefs|Directory Image=$ExeDir$\images\folder.gif
User Prefs|Drive Image=$ExeDir$\images\drive.gif
User Prefs|Link Image=$ExeDir$\images\link.gif
User Prefs|File Image=$ExeDir$\images\file.gif
User Prefs|Cache Style File=$ExeDir$\Styles\cache.css
User Prefs|Dir Style File=$ExeDir$\Styles\dir.css
User Prefs|Drives Style File=$ExeDir$\Styles\drives.css
User Prefs|History Style File=$ExeDir$\Styles\history.css
User Prefs|Plugins Style File=$ExeDir$\Styles\plugins.css
User Prefs|Language File=$ExeDir$\locale\it\it.lng
User Prefs|WML CSS File=$ExeDir$\Styles\wml.css
User Prefs|OPF CSS File=$ExeDir$\Styles\opf.css
User Prefs|CSR CSS File=$ExeDir$\Styles\csr.css
User Prefs|About Style File=$ExeDir$\Styles\About.css
User Prefs|MIME Style File=$ExeDir$\Styles\mime.css
User Prefs|Info CSS File=$ExeDir$\Styles\info.css
User Prefs|Language Codes File=$ExeDir$\lngcode.txt
User Prefs|IM Style File=$ExeDir$\Styles\im.css
User Prefs|Certificate Info CSS File=$ExeDir$\styles\certinfo.css
User Prefs|Plugin Path=$ExeDir$\Program\Plugins;
Local CSS Files|File 1=$ExeDir$\styles\user\textonly.css
Local CSS Files|File 2=$ExeDir$\styles\user\nostalgia.css
Local CSS Files|File 3=$ExeDir$\styles\user\accessibility.css
Local CSS Files|File 4=$ExeDir$\styles\user\imageandlinkonly.css
Local CSS Files|File 5=$ExeDir$\styles\user\contrastwb.css
Local CSS Files|File 6=$ExeDir$\styles\user\contrastbw.css
Local CSS Files|File 7=$ExeDir$\styles\user\hidenonlinkimages.css
Local CSS Files|File 9=$ExeDir$\styles\user\disabletables.css
Local CSS Files|File 10=$ExeDir$\styles\user\showstructure.css
Local CSS Files|File 11=$ExeDir$\styles\user\debugwithoutoutline.css
Adv User Prefs|Plugin ignore file=$ExeDir$\plugin-ignore.ini
System|Multi User=0
Java|Opera Classpath=$ExeDir$\Classes\Opera.jar
Java|Security Policy=$ExeDir$\Classes\Opera.policy
VoiceXML|voicexmlplugin=$ExeDir$\vxmplugin.dll
VoiceXML|library location=$ExeDir$\
VoiceXML|resources location=$ExeDir$\
Install|MAINDIR=$ExeDir$\
```

```
[WriteToIni=$ExeDir$\profile\opera6.ini]
User Prefs|Opera Directory=$ExeDir$\profile
User Prefs|Download Directory=%OperaDownloadDir%
User Prefs|Hot List File Ver2=$ExeDir$\profile\opera6.adr
User Prefs|Cache Directory4=$Home$\AppName$\cache4
```

User Prefs|Operator Cache Directory4=\$Home\$\AppName\$\opcache
User Prefs|Temporary Download
Directory=\$Home\$\AppName\$\cache4\temporary_download
User Prefs|Show Default Browser Dialog=0
;User Prefs|Startup Type=4
Mail|Mail Root Directory=\$ExeDir\$\mail
Saved Settings|Open Dir=%OperaDownloadDir%
Saved Settings|Save Dir=%OperaDownloadDir%
Disk Cache|Empty On Exit=0

[WriteToIni=\$ExeDir\$\spellcheck.ini]
Spell check|Spell check engine=\$ExeDir\$\spellcheck.dll

; (mail on server)
;[WriteToIni=\$ExeDir\$\mail\accounts.ini]
;Account1|Leave On Server=1

[StringReplace=\$ExeDir\$\profile\opera6.ini]
Button Set|\skin==\$ExeDir\$
Toolbar Configuration|profile==\$ExeDir\$\

[WriteToReg=\$Home\$\AppName\$\AppName\$_1.reg]
MainKey=HKEY_CURRENT_USER\Software\Opera Software

[WriteToReg=\$Home\$\AppName\$\AppName\$_2.reg]
MainKey=HKEY_LOCAL_MACHINE\SOFTWARE\Clients\Mail\Opera

[WriteToReg=\$Home\$\AppName\$\AppName\$_3.reg]
MainKey=HKEY_LOCAL_MACHINE\SOFTWARE\Clients\News\Opera

[WriteToReg=\$Home\$\AppName\$\AppName\$_4.reg]
MainKey=HKEY_LOCAL_MACHINE\SOFTWARE\Clients\StartMenuInternet\Opera.exe

;(GNU aspell support)
[WriteToReg=\$Home\$\AppName\$\AppName\$_5.reg]
MainKey=HKEY_LOCAL_MACHINE\SOFTWARE\Aspell
@=\$Root\$\Lib\Aspell\\"
"Path"=\$Root\$\Lib\Aspell\bin\\"

[RunBefore]
RegEdit=\$Home\$\AppName\$\AppName\$_1.reg;\$AppName\$_2.reg;\$AppName\$_3.reg;
\$AppName\$_4.reg;\$AppName\$_5.reg

[StringReplace=\$ExeDir\$\profile\widgets\widgets.dat]
"preserve">|widgets=\$ExeDir\$\profile\

[Options]
DeleteTemp=true
RunWait=true
ShowSplash=false
WriteLog=false

```
[SplashScreen]
Image=
Title=
TimeOut=1500
```